

PLINIUS

Supplemento italiano all'European Journal of Mineralogy



Numero 41 - Settembre 2015

Società Italiana di Mineralogia e Petrologia
c/o Dipartimento di Scienze della Terra - Via S. Maria 53
I-56126 PISA

Copyright Policy

The material available on this CD is provided for personal use only and may not be distributed without written permission of the publishers. The material may not be placed on freely accessible servers with the exception of the subscribers' Intranet without prior written permission of the publisher. It is not allowed to make copies of the CD for any commercial purpose.

INDICE

ATTIVITÀ DELLA SIMP

Verbale dell'Assemblea Generale dei Soci - Milano, 10 settembre 2014	1
Società Italiana di Mineralogia e Petrologia - Bilancio consuntivo al 31/12/2013	4
Relazione dei Revisori dei Conti sul bilancio 2013	6
Società Italiana di Mineralogia e Petrologia - Bilancio preventivo 2015	8
Verbale della Commissione premi SIMP 2014	9
BOCCHIO R.: Ricordo di Luisa De Capitani	11
SASSI P.F.: Ricordo di Bruno Zanettin	13

RIASSUNTI DI TESI DI DOTTORATO DI RICERCA

ANGELICI D.: Petrographic and minero-chemical characterisation of lapis lazuli: A provenance study of rocks and artefacts from cultural heritage	18
CABASSI J.: Gaseous mercury (Hg ⁰) in the former mining area of Abbadia San Salvatore (Mt. Amiata, Siena) and in quiescent and active volcanic areas: Distribution in air and comparison with other atmospheric pollutants	26
CAMPAGNOLA S.: Large-scale plinian eruptions of the Colli Albani and the Campi Flegrei volcanoes: Insights from textural and rheological studies	35
CANNAÒ E.: Light elements, stable and radiogenic isotopes (B, O, Sr, Pb) in ultramafic/mafic rocks as tracers of mass transfer along the slab/mantle interface in subduction zones	43
CESARANO M.: Mineralogical and geotechnical characterization of structurally complex formations involved in the slow-moving landslides affecting the Southern Apennine	51
CONTE S.: Protohistoric vitreous material from Southern Italy: Chemical characterization and trace elements study	57
DAL SASSO G.: Characterization of archaeological bones from the Al Khiday cemetery (Central Sudan): Structure and microstructure of diagenetically altered bioapatite	64
FALCONE E.E.: Zirconium, hafnium and Rare Earths behaviour during the transport in volcanic fluids. Geochemical effects throughout the sublimation and after interaction with aqueous media	70
GENTILI S.: Mineralogical and petrological study of mantle xenoliths from Victoria Land (Antarctica): Insight of the role of the amphibole in metasomatic processes	79
LO PÒ D.: A 300 million year-long history. The metamorphic evolution of the Northern Apennine Variscan basement	87
MARCHINA C.: Geochemical and isotopic investigation on the Po River waters from Monviso sources to its delta: Natural and anthropogenic components	94
PEPI S.: Terroir and cv. Glera (<i>Vitis Vinifera L.</i>): Identification of geographical origin by means of geochemical analysis	102
RADICA F.: A crystal-chemical study of cordierite, synthesis and stability at variable H ₂ O and CO ₂ concentration: Geological and technological applications	107

RUSSO S.: Hydrogeochemistry of karst springs in the transboundary area Italy – Slovenia (Kanin Mountain)	115
SANTORO L.: The Jabali, Hakkari and Reef Ridge nonsulfide Zn(Pb) deposits: An evaluation by QEMSCAN® technology, and comparison to other analytical methods	120
SOLIMANO M.: Characterization of a metal-contaminated waste rock dump using field portable X-ray fluorescence (FPXRF) spectrometry	128
TIRABOSCHI C.: COH fluids at upper-mantle conditions: An experimental study on volatile speciation and mineral solubility in the MS + COH system	135
VEZZONI S.: Evolution of a pluton-porphphyry-skarn system: The Temperino-Lanzi mine (Campiglia Marittima, Tuscany)	144
VIGLIATURO R.: Microstructures of potentially harmful fibrous minerals	149

CONGRESSO CONGIUNTO SIMP – SGI – AIV – SoGeI

IL PIANETA DINAMICO: SVILUPPI E PROSPETTIVE A 100 ANNI DA WEGENER

(Firenze, 2 – 4 settembre 2015)

<i>Introduzione</i>	156
<i>Plenary lectures</i>	157
Bodnar R.J.: The metamorphosis of melt inclusions from interesting artifact to valuable geochemical tool	158
Bonadonna C.: Volcanic ash and civil aviation: a new perspective	159
Dogliani C.: Plate tectonics: a polarized self-organized chaotic system	161
Ross N.L.: Mineralogy and crystal chemistry: Past, present and future	164
<i>S2 - Mantle processes and crustal genesis in extensional environments</i>	165
Agostini S., Ronca S., Bellon H., Luciani N. & Lustrino M.: The Oligo-Miocene alkaline volcanism of Bahariya (Western Desert, Egypt)	166
Armenti P. & Gasperini D.: Rethinking mantle heterogeneity: Insights into mantle geology	167
Basch V., Ferrando C., Rampone E., Ildefonse B., Crispini L. & Godard M.: Microstructural variations in lower crustal oceanic troctolites: An indicator of melt-rock interactions (Erro Tobbio, Ligurian ophiolites, Italy)	168
Berno D., Sanfilippo A., Tribuzio R. & Zanetti A.: Major and trace element variability within the troctolite-olivine gabbro association of the Pineto ophiolite (Corsica)	169
Borghini G., Fumagalli P. & Rampone E.: Partial melting experiments on a natural pyroxenite at 1 and 1.5 GPa: Insights on the role of secondary-type pyroxenite in basalt generation	170
Borghini G.: Multiple origins of pyroxenites in the upper mantle: From nature to experiments	171
Callegaro S., Marzoli A., Bertrand H., Blichert-Toft J., Reisberg L., Cavazzini G., Zanetti A., Jourdan F., Davies J., Parisio L., Bouchet Bert Manoz R. & Schaltegger U.: Isotopic evidence for an enriched lithospheric component in the mantle source of the Freetown Layered Complex (Sierra Leone)	172
Francomme J.E., Fumagalli P. & Borghini G.: Olivine-gabbros and olivine-rich troctolites origin through melt-rock reaction in oceanic spreading lithosphere: An experimental study up to 0.7 GPa	173
Giovanardi T., Girardi V.A.V., Correia C.T., Sinigoi S., Tassinari C.C.G. & Mazzucchelli M.: Comparing the Cana Brava and Niquelândia complexes: Different contamination and fractionation processes in coeval intrusions	174

Giovanardi T., Zanetti A., Morishita T., Langone A., Dallai L. & Mazzucchelli M.: Gabbroic dykes in the Finero Phlogopite-Peridotite Massif: Evidence for melt-peridotite interactions at mantle conditions and igneous sapphirine formation by autometasomatism	175
Langone A., Zanetti A., Renna M.R., Tiepolo M., Mazzucchelli M. & Giovanardi T.: New insights into the evolution of the Finero Mafic Complex, north-eastern Ivrea-Verbano Zone	176
Ligi M., Bonatti E., Bosworth W., Cai Y., Cipriani A., Palmiotto P., Ronca S., Sanfilippo A. & Seyler M.: Oceanization starts from below during continental rupturing in the Red Sea	177
Mazzeo F.C., Zanetti A., D'Antonio M., Petrosino P. & Aulinas M.: Melt/rock interaction: case study from Mt. Pollino ophiolites (Basilicata, Southern Italy)	178
Montanini A., Luguët A., Van Acken D. & Tribuzio R.: Highly siderophile elements and Os isotope compositions of recycled mantle pyroxenites in the Ligurian mantle section (N Apennine, Italy)	179
Montanini A., Tribuzio R., Zanetti A. & Zibra I.: The lherzolite-pyroxenite-hornblendite association from St. Lucia (Corsica): Evidence for refertilization of subcontinental mantle	180
Natali C., Beccaluva L., Bianchini G., Savo A. & Siena F.: Modelling the petrogenesis of the Ethiopian-Yemeni picrite-basalt CFB association: Inferences on mantle heterogeneities and plume processes	181
Petriglieri J.R., Salvioli Mariani E., Costa S., Mantovani L., Tribaudino M., D'Alessio D., Bersani D. & Lottici P.P.: Preliminary study on polymorphs of serpentine present in the ophiolites from La Rocchetta (Taro Valley, Eastern Ligurian Apennines, Italy)	182
Pinarelli L., Mattash M.A., Vaselli O., Minissale A. & Tassi F.: Geochemical evolution of mantle sources during continental rifting: The volcanism of the Red Sea	183
Sanfilippo A., Morishita T. & Senda R.: Role of melt-mantle interactions on the composition of MORB: The case of Re-Os isotopes	184
Sanfilippo A., Tribuzio R., Ottolini L. & Hamada M.: Olivine from replacive mantle bodies reveals modes of partial melting of the MORB mantle source	185
<i>S3 - The cycles of volatiles: Fluxes and processes from the oceans, down to the mantle and backward to the Earth surface</i>	186
Barbieri R. & Cavalazzi B.: Microbial biogeomorphology in extreme surface environments fed by hot and cold springs and its implications	187
Bottini C. & Erba E.: Biogenic carbonate paleofluxes as proxy for $p\text{CO}_2$ during the Aptian	188
Calabrese S., D'Alessandro W., Aiuppa A. & Parello F.: Chemistry and fluxes of major and trace element from worldwide passive degassing volcanoes: A critical review	189
Callegaro S., Baker D.R., Marzoli A., De Min A. & Geraki K.: Sulfur degassing from LIPs estimated through clinopyroxene/melt S partition coefficient: synchrotron analyses and experimental constraints	190
Cardellini C., Chiodini G., Frondini F. & Caliro S.: Diffuse CO_2 Earth degassing in Italy: A globally relevant study case	191
Casellato C.E. & Erba E.: Tithonian Nannofossil Calcification Events and the Shatsky Rise Plateau emplacement: Is there a relationship?	192
Casellato C.E. & Erba E.: The Toarcian Oceanic Anoxic Event and the emplacement of the Karoo-Ferrar Large Igneous Province: Calcareous nannoplankton evidence trace major climate and paleoceanographic changes	193
D'Alessandro W., Yuce G., Italiano F., Bellomo S. & Gulbay A.H.: Geochemical characterization of the fluids circulating in the Kizildag ophiolitic body (Turkey)	194
Daskalopoulou K., D'Alessandro W., Kyriakopoulos K., Calabrese S. & Parello F.: Gas manifestations of Greece: Catalogue, geochemical characterization and gas hazard definition	195
Erba E. & Bottini C.: Environmental consequences of Ontong Java Plateau and Kerguelen Plateau volcanism: Climate and ocean variability under excess CO_2	196

Faucher G., Erba E. & Bottini C.: The effects of excess CO ₂ on calcareous nannoplankton biocalcification: The case history of the latest Cenomanian Oceanic Anoxic Event 2	197
Frigo C. & Stalder R.: OH incorporation in quartz in lithium-bearing systems at high pressure	198
Gagliano A.L., D'Alessandro W., Tagliavia M., Franzetti A., Parello P. & Quatrini P.: Interaction between geosphere and biosphere in geothermal soil at Pantelleria Island, Italy	199
Giacomoni P.P., Coltorti M., Bonadiman C., Ferlito C., Pelorosso B. & Ottolini L.: Inside the volatile content of Antarctic mantle responsible for the Cenozoic basic alkaline magmatism of Northern Victoria Land (Antarctica)	200
Mair P., Zöll K. & Tropper P.: Electron microprobe U-Th-Pb dating of monazite inclusions in apatite: Geochronological clues to fluid-rock interaction during Permian hornfels formation in the Monte Sabiona contact aureole	201
Minissale S. & Ferlito C.: Geochemical and petrographic characterization of basalts and rhyolites of Fantale's area (Ethiopia)	202
Sanna L., Arca A., Casula M. & Duce P.: Preliminary data on natural CO ₂ emissions from Nurra karst terrain (NW Sardinia, Italy)	203
Scambelluri M.: The role of altered ultramafic rocks in subduction-zone volatile recycling	204
Scicchitano M.R., Rubatto D., Hermann J., PadrónNavarta J.A. & Shen T.: Oxygen isotope analysis of serpentine minerals by SHRIMP: Analytical developments and geological applications	205
Tumiati S., Tiraboschi C., Pettke T., Recchia S., Ulmer P. & Poli S.: Silicate dissolution boosts the CO ₂ content of deep fluids	206
Vitale Brovarone A., Chu X., Martin L.A.J. & Ague J.J.: On the complexity of volatile fluxes in subducting oceanic slabs	207
<i>S4 - The subduction factory - A key element in the Earth's dynamics</i>	208
Avanzinelli R., Casalini M., Elliott T. & Conticelli S.: Constraining slab recycling under Vesuvius volcano from combined U-series and non-traditional stable isotope (Mo, ²³⁸ U/ ²³⁵ U) data	209
Bianchini G. & Natali C.: Carbon budget in Calatrava and Tallante xenoliths: Insights on sources and petrogenetic processes	210
Borghini A., Ferrando S. & Groppo C.: Geologic and petrographic study of the veins in the metabasites of the ultra-high pressure Lago di Cignana Unit (upper Valtournenche, western Alps)	211
Cannaò E., Scambelluri M., Agostini S. & Tonarini S.: As, Sb and B-Sr-Pb isotopes in Voltri serpentinites: Evidences of fluid-mediated mass transfer in subduction zones	212
Casalini M., Avanzinelli R., Elliott T., Tommasini S. & Conticelli S.: Non-traditional isotope tracers (²³⁸ U/ ²³⁵ U and ⁹⁸ Mo/ ⁹⁵ Mo) of subduction processes in the Central-Mediterranean magmatism	213
Castelli D., Groppo C., Ferrando S., Elia D., Meirano V. & Facchinetti L.: Is there a new UHP unit in the Southern Dora-Maira Massif? Insights from metasomatic Coe-Ctd-Gln-Grt-talcschists used for ancient quern-stones (III c. AD)	214
Colombi F., Chalal Y., Agostini S. & Lustrino M.: Late Miocene ultrapotassic rocks from NE Algeria (Constantine) in the framework of the circum-Mediterranean lamproites	215
Conte A.M., Perinelli C., Bianchini G., Natale C., Martorelli E. & Chiocci F.L.: New geochemical data on submarine volcanics from the Pontine Archipelago (Tyrrhenian Sea, Italy)	216
Förster B., Bianchini G., Natali C., Aulbach S. & Braga R.: Tracing carbon sources and mobility in subduction zones: An approach using carbon contents and isotopes in orogenic Ulten Zone peridotites	217
Ferrando S., Groppo C., Frezzotti M.L., Castelli D., Compagnoni R. & Proyer A.: Dolomite evolution from HP to UHP conditions: The impure Cal-Dol marbles from Dora-Maira Massif (Italian Western Alps)	218

Gilotti J.A., Petrie M.B. & McClelland W.C.: Ultrahigh-pressure metamorphism in accretionary orogens - The contribution of tectonic erosion to the subduction factory	219
Malatesta C., Federico L., Crispini L. & Capponi G.: Blueschist-facies boudinage and veining: Implications for deformation processes and fluid flow in subduction zones	220
Martelli M. & Bianchini G.: Noble gases isotope composition of mantle-derived peridotite xenoliths from Sardinia	221
Mattioli M., Renzulli A., Agostini S. & Lucidi R.: Magmas with slab fluid and decompression melting signatures coexisting in the Gulf of Fonseca: Evidence from Isla El Tigre volcano (Honduras, Central America)	222
Mazzucchelli M.L., Angel R.J., Alvaro M., Nimis P., Domeneghetti M.C. & Nestola F.: Host-inclusion geobarometry for ultra high pressure metamorphic (UHPM) rocks	223
Moratti G., Santo A.P., Benvenuti M., Laurenzi M.A., Braschi E. & Tommasini S.: Genesis and evolution of the Late Mesozoic magmatism of the High Atlas (Morocco)	224
Moretti H.C., Blundy J.D. & Gottsmann J.H.: The contributions of oxidised crustal carbonates to the modification of the explosive, aluminium depleted magmas of the Pollara eruptions of Salina, Italy	225
Pinarelli L., Christofides G., Pipera K., Soldatos T., Koroneos A. & Pecskey Z.: Mantle heterogeneity and crustal contamination in Tertiary extensive magmatism in Southern Rhodopes: Geochemical and isotope evidence from Evros volcanic rocks (Greece)	226
Poli S.: The subduction of carbonated rocks and Earth degassing at warm convergent margins	227
Tiepolo M. & Vannucci R.: The contribution of amphibole from deep arc crust to the Silicate Earth's Nb budget	228
Tiraboschi C., Tumiati S., Ulmer P., Pettke T. & Poli S.: Solubility of forsterite, enstatite and magnesite in high-pressure COH fluids	229
Tumiati S., Godard G., Martin S., Malaspina N. & Poli S.: Are the Mn-rich subduction metasediments of Praborna (Zermatt-Saas Unit) really ultra-oxidized?	230
<i>S5 - Subduction and exhumation of continental lithosphere: Implications on orogenic architecture, environment and climate</i>	231
Brandmayr E., Raykova R., Romanelli F. & Panza G.: A geophysical perspective on the lithosphere-aesthenosphere system of the Periadriatic region	232
Clarke A.P., Vannucchi P. & Vinciguerra S.: Mechanics of Variably Deformed Basalt in the Osa Mélangé, Costa Rica: Implications for seismogenesis in the erosive Middle America subduction zone	233
Cocetta F., Peresan A. & Panza G.F.: Competing/collaborative effect between snow-ice load and tectonic forces modulates large earthquakes occurrence	234
Ferraccioli F., Armadillo E., Crispini L. & Capponi G.: The Ross orogen in northern Victoria Land (Antarctica): New aeromagnetic and gravity perspectives for its geodynamic evolution and crustal architecture	235
Ferrando S. & Frezzotti M.L.: Petrological and geochemical role of fluid phases in orogenic settings	236
Groppo C., Rolfo F., Castelli D., Mosca P. & Rapa G.: Metamorphic CO ₂ -producing processes in collisional orogens: case studies from the Himalaya	237
Iaccarino S., Montomoli C., Carosi R., Massonne H.J., Langone A. & Visonà D.: Geology and tectono-metamorphic evolution of the Himalayan Metamorphic Core along the Mugu Karnali transect, Western Nepal (Central Himalaya)	238
Montomoli C., Carosi R., Langone A., Iaccarino S. & Visonà D.: Relations between South Tibetan Detachment System, Tethyan Sedimentary Sequence and High Himalayan granite: A new perspective	239
Nunziata C., Costanzo M.R. & Mandara R.: Lithospheric VS models in the Campanian volcanic area	240

Orešković J., Šumanovac F., Hegedüs E., Kolar S. & Kovács A.C.: Receiver functions analysis to determine crustal structure at the contact of the northern Dinarides and southwestern Pannonian Basin	241
Piana Agostinetti N. & Rosenbaum G.: An incipient lithospheric tear fault beneath Northern Apennines? Insights from geophysical and geological data	242
Piccolo A., Faccenda M., Carosi R., Visonà D. & Montomoli C.: Post collisional evolution in hot orogens and influence of surface processes	243
Rapa G., Groppo C., Rolfo F., Mosca P. & Neupane P.K.: Metamorphic CO ₂ -source rocks in collisional orogens: A petrographic journey through not-(always) obvious CO ₂ -producing lithologies in central Himalaya	244
Romanelli F.: The subduction of continental lithosphere: Insights from multiscale geophysical modeling	245
Rossetti P., Barale L., Bertok C., d'Atri A., Gerdes A., Martire L., Piana F. & Scarrone F.: Metamorphic recrystallization related to the circulation of CO ₂ -rich hydrothermal fluids: The case of the Valdieri marbles (Maritime Alps)	246
Spalla M.I., Delleani F., Gosso G., Marotta A.M., Rebay G., Regorda A., Roda M., Zanoni D. & Zucali M.: Exploitation methods of the metamorphic rock memory in the continental crust of orogenic belts to infer subduction history	247
Zanetti A., Giovanardi T., Mazzucchelli M., Langone A., Tiepolo T. & Wu F.Y.: LAM U-Pb zircon Early Jurassic exhumation age of the Finero Phlogopite Peridotite (Ivrea-Verbano Zone, Western Alps) and its geodynamic consequences	248
<i>S6 - Experimental and Computational Methods in Mineralogy, Petrology and Geochemistry</i>	249
Benisek A., Dachs E. & Kroll H.: A comparison of ternary feldspar-mixing models	250
Campione M.: Nanotribological analysis of frictional anisotropy of crystalline surfaces and its relationship with surface structure studied through atomic force microscopy	251
Capizzi L.S., Fumagalli P., Poli S. & Tumiati S.: The mobility of hydrous carbonate liquids in the mantle: An experimental model	252
Carroll M.R.: Crystallization kinetics and time-scales of magmatic processes	253
Cavazzini G.: Determining isotopic composition of elements by linearization of exponential instrumental isotope fractionation	254
Dachs E., Benisek A. & Geiger C.A.: The way from estimated to measured thermodynamic properties: The impact of relaxation calorimetry on petrological calculations	255
Gatti E., Coleman M. & Bustos D.: Quantifying groundwater changes in evaporitic basins using stable isotopes experimental approaches on hydrated minerals	256
Mair P., Tropper P., Manning C. & Harlov D.: Solubility of F-Cl-apatites in KCl-H ₂ O brines at 800 °C and 1 GPa: Implications for REE transport during high-grade metamorphism	257
Malaspina N.: Forward modelling of redox equilibria in the Earth mantle: Simple versus complex systems	258
Merli M., Bonadiman C., Diella V. & Pavese A.: Lower mantle hydrogen partitioning between periclase and perovskite: A quantum chemical modeling	259
Merlini M., Sciascia L., Merli M., Gatta G.D., Pavese A., Hanfland M., Lausi A. & Plaisier J.: Complexity of CaCO ₃ polymorphism	260
Miozzi F., Tumiati S., Recchia S., Tiraboschi C. & Poli S.: A new methodology to analyse COH fluids in experimental capsules	261
Moro D., Ulian G. & Valdrè G.: Cross-correlated Scanning Probe Microscopy and Quantum Mechanics investigation of chlorite-glycine interaction at the single molecule level	262
Orlando A., Ruggieri G., Chiarantini L., Rimondi V. & Borrini D.: Fluid-rock interaction experiments at supercritical conditions: A tool to investigate geothermal systems	263

Ortolano G., Visalli R. & Cirrincione R.: Timescale of relaxation of garnet growth zoning via multi-component diffusion modeling: The example of Mammola Paragneiss Complex (Serre Massif-Southern Calabria)	264
Poli S. & Da Mommio A.: Liquids from CaCO ₃ in the presence of H ₂ O and the mobility of carbon in subduction zones	265
Russo C., Bianchi S., Protano G. & Salleolini M.: Multivariate statistical characterization of groundwater chemistry: A case study in a zone affected by hydrothermal circulation (southern Tuscany, Italy)	266
Rustioni G., Angel R.J., Milani S., Mazzucchelli M.L., Nimis P., Domeneghetti M.C., Marone F., Alvaro M., Harris J.W. & Nestola F.: Elastic geobarometry for host-inclusion systems: Pressure release and the role of brittle failure	267
Stabile P., Giuli G., Behrens H., Knipping J., Webb S., Cicconi M.R. & Paris E.: Experimental study on the effect of alkali ratio and oxygen fugacity on Fe redox and viscosity in pantelleritic glasses	268
Stangarone C., Tribaudino M., Lottici P.P. & Prencipe M.: Analysing the Raman vibrational pattern of Mg ₂ Si ₂ O ₆ <i>Pbca</i> enstatite: A quantum mechanical approach	269
Tiraboschi C., Tumiati S., Recchia S. & Poli S.: Carbon-saturated COH fluids speciation at 1 GPa: Experimental data <i>versus</i> thermodynamic modeling	270
Ulian G., Moro D. & Valdrè G.: Quantum mechanics simulations of structural and physico-chemical properties of apatites and layer silicates	271
Vitale Brovarone A.: Limits in modeling organic carbon-bearing rocks at upper crust and forearc slab conditions	272
Zaffiro G., Angel R.J., Alvaro M., Nestola F., Domeneghetti M.C., Scandolo L., Mazzucchelli M.L., Milani S., Rustioni G. & Marciano C.: New micro-furnace for “in situ” high-temperature single crystal X-ray diffraction measurements	273
Zibera L., Green E.C.R., Schumacher J. & Blundy J.D.: Geobarometry of igneous cumulates and the depth of magma storage zones	274
<i>S7 - Microstructures: Key to the interpretation of processes</i>	275
Aretusini S., Mittempergher S., Gualtieri A.F. & Di Toro G.: Frictional processes in smectite-rich gouges sheared at low to high slip rates	276
Cirrincione R., Ortolano G., Pezzino A., Sacco V., Visalli R., Fiannacca P., Punturo R. & Mengel K.: Alpine re-activation of a late post - Variscan shear-zone: Microstructural and petrological investigations (Sila, northern Calabria)	277
Colletini C., Carpenter B.M., De Paola N., Giorgetti C., Mollo S., Scuderi M.M., Tesi T., Trippetta F. & Viti C.: Timing of microstructure development along carbonate-bearing faults	278
Fazio E., Ortolano G., Cirrincione R., Pezzino A. & Visalli R.: Microstructures and quartz c-axis patterns of mylonites at the ductile-brittle transition: Insights from a crustal scale shear zone (Southern Calabria, Italy)	279
Fiannacca P., Lombardo R., Militello G.M. & Cirrincione R.: Insights on the relationships between felsic granitoids in the Serre Batholith (Calabria, southern Italy) from plagioclase microstructures and compositions	280
Giorgetti C., Carpenter B.M. & Colletini C.: Fault zone microstructures from laboratory experiments on calcite/talc binary mixtures	281
Hassan B., Butt S. & Hurich C.: Control of saturant’s state upon intergranular adhesion affecting seismic and aseismic near surface site strength response inferred by combined Vp/Vs and Poisson’s ratios examination	282

Hassan B., Butt S. & Hurich C.: Understanding scale and direction dependent strength susceptibility of fault systems to seismic and aseismic effects by examining lateral and dilatational displacements characteristics using S-waves	283
Mitterpergher S., Cerchiari A. & Remitti F.: Deformation mechanisms of the shallow subduction plate interface of the Sestola Vidiciatico unit, Northern Apennines (Italy)	284
Montomoli C., Iaccarino S., Carosi R., Nania L. & Lezzerini M.: Strain softening mechanisms in a regional scale shear zone: The Main Central Thrust Zone in the Mt. Makalu area (Eastern Nepal)	285
Punturo R., Cirrincione R., Fazio E., Fiannacca P., Kern H., Mengel K., Ortolano G. & Pezzino A.: Development of petrofabric within the Kavala syn-tectonic pluton (NE Greece) and insights for the seismic behaviour of extensional shear zones	286
Smeraglia L., Billi A., Carminati E. & Cavallo A.: Carbonate-clay mixing in cataclasite during fault activity	287
Tesei T., Viti C., Mugnaioli E. & Collettini C.: Frictional strength and deformation microstructures of mineralogically controlled Serpentinites	288
Zambrano M., Tondi E., Mancini L., Dinolfo G., Aibibula N., Arzilli F. & Napoli G.: 3D image analysis of deformation bands in porous carbonate grainstones	289
Zucali M., Spalla I., Gosso G., Chateigner D., Ouladdiaf B., Tartarotti P., Fontana E., Mancini L. & Barberini V.: Quantitative microstructural analysis of naturally deformed rocks as tool to understand tectono-metamorphic evolution	290
<i>S8 - Magma chamber dynamics and timescales of volcanic processes</i>	291
Bardeglinu I., Cioni R. & Scaillet B.: Experimental constraints on pre-eruption conditions of the 1631 Vesuvius eruption	292
Braschi E., Francalanci L. & Vougioukalakis G.: Investigating heterogeneous magma systems by detailed characterization of the juvenile products: Example from the Upper Pumice eruption at Nisyros Volcano (Greece)	293
Campagnola S., Vona A., Romano C. & Giordano G.: Rheology and crystallization kinetics of the Pozzolane Nere tephriphonolite from Colli Albani volcano (Italy)	294
D’Oriano C., Landi P., Pimentel A. & Zanon V.: Magmatic processes revealed by textural and compositional features of large anorthoclase crystals from the Lajes-Angra Ignimbrite (Terceira Island, Azores)	295
De Rosa R., Di Salvo S., Donato P., Francalanci L., Gioncada A., Nicotra E., Pistolesi M., Viccaro M., Barca D. & Braschi E.: The Lipari-Vulcano volcanic complex: insights into the plumbing system of the last 1000 years	296
Di Salvo S., Francalanci L., Braschi E., Avanzinelli R. & Druitt T.H.: Understanding the last 3600 years plumbing system evolution of Santorini volcano: Contributions by <i>in-situ</i> micro-Sr isotope data	297
Fantozzi I., Petrone C.M., Vougioukalakis G., Braschi E. & Francalanci L.: Pre-eruptive magmatic processes associated with the historic explosive activity of Kolumbo submarine volcano, Santorini, Greece: A petro-chemical study on the emitted products	298
Garozzo I., Romano C., Giordano G., Geshi N. & Vona A.: Magma dynamics of the 2000 Miyakejima eruption inferred from textural analysis of erupted products	299
Giacomoni P.P., Coltorti M., Ferlito C. & Mollo S.: Textural and chemical zoning of clinopyroxene and plagioclase as a tool to calculate the thermobarometric constraints of Mt. Etna feeding system	300
Giordano G. & Cashman K.: Calderas and magma reservoirs	301
González-García D., Zezza A., Vetere F., Behrens H., Morgavi D., Petrelli M. & Perugini D.: Experimental determination of major and trace element diffusivities in natural silicate melts: Application to magma mixing and determination of timescales of volcanic eruptions	302

Laeger K., Petrelli M., Andronico D., Scarlato P., Cimarelli C., Del Bello E., Misiti V., Taddeucci J. & Perugini D.: High resolution geochemical mapping of volcanic ash: Constraining of end-member proportions for syn-eruptive magma mixing of 2010 Eyjafjallajökull eruption	303
Mari N.: Temporal evolution of magma mixing related to the explosivity of volcanic eruptions	304
Mazzeo F.C., Fedele L., Iovine R., Aienzo I., Cavallo A. & D'Antonio M.: Timescales of mixing from diffusion chronometry on alkali feldspar phenocrysts from the Agnano-Monte Spina Eruption (4.7 ka), Campi Flegrei (southern Italy)	305
Morgavi D., Perugini D., De Campos C., ErtlIngrisch W. & Dingwell D.B.: Morphochemistry of structures produced by mixing of rhyolitic and basaltic melts: Volcano-petrological implications	306
Pensa A., Jowitt S.M., Giordano G. & Cas R.A.F.: The geochemical evolution of the Fogo A eruptive sequence: Timing of development of anti-rapakivi textures and implications for dual magma source or zoned magma chamber models	307
Pensa A., Porreca M., Corrado S., Giordano G. & Cas R.A.F.: The thermal state of pyroclastic flow deposits of the 4.6 ka Fogo A plinian eruption sequence, São Miguel, Azores, using pTRM analysis and charcoal reflectance data, and implications for eruption and flow processes	308
Petrelli M., El Omari K., Le Guer Y. & Perugini D.: Timescales of magma mixing unraveled by numerical simulations	309
Petrone C.M., Bugatti G., Braschi E. & Tommasini S.: NIDIS: Non-Isothermal Diffusion Incremental Step model. A new approach to elemental diffusion in volcanic rocks	310
Pompilio M., Bertagnini A., Pistolesi M., Di Roberto A., Isaia R., Cioni R., Francalanci L., Romano C., Campagnola S., Di Salvo S., Voloschina M. & Mazzone F.: Magma dynamics during Baia - Fondi di Baia eruption (Campi Flegrei) as inferred by microanalysis of juvenile products	311
Redi D., Danyushevsky L., Lima A., Cannatelli C., Esposito E. & De Vivo B.: Somma-Vesuvius's activity over the last 33 ka years: A mineral chemistry prospective	312
Rocchi S., Paoli G., Jacobs J. & Ksienzyk A.: Inherited and antecrystic zircons as time markers for magma ascent/storage	313
Vetere F., Iezzi G., Behrens H., Holtz F., Ventura G., Misiti V., Cavallo A., Mollo S., Dietrich M. & Perugini D.: Glass forming ability of sub-alkaline silicate melts	314
Vona A., Giordano G., De Benedetti A.A., Romano C. & Manga M.: Ascent velocity and dynamics of a mud eruption: an analogue for volcanological studies	315
<i>S11 - Mineralogy</i>	316
Alvaro M., Angel R.J., Mazzucchelli M.L., Domeneghetti M.C. & Nestola F.: Elastic geobarometry for UHPM rocks: A link between mineralogy and petrology	317
Ardit M., Martucci A., Rodeghero E. & Cruciani G.: Spontaneous strain variations through the monoclinic-orthorhombic phase transition of ZSM-5 zeolite: Effect of adsorbed organic molecules	318
Balassone G., Bellatreccia F., Ottolini L., Mormone A., Petti C., Della Ventura G. & Ghiara M.R.: Sodalite-group minerals from Somma-Vesuvius volcano (southern Italy): an EPMA, SIMS and FTIR study	319
Ballirano P., Pacella A., Cremisini C., Nardi E., Montereali M.R., Fantauzzi M., Atzei D., Rossi A. & Cametti G.: An insight into the mechanism of Fe (III) acquisition by erionite fibres: A first step toward the comprehension of the mechanisms inducing their carcinogenicity	320
Barucca S., Bellatreccia F., Della Ventura G., Butini F., Casanova Muncicchia A., Ricci M.A. & Sodo A.: Multimethodological characterization of opals: Defining origin, structure, composition and gemological properties	321
Bellatreccia F., Della Ventura G., Cestelli Guidi M., Ventruti G., Schingaro E., Capitelli F. & Grita S.: FTIR spectroscopy of phosphate minerals with complex H-bonds network	322

Bernardini S., Bellatreccia F., Casanova Municchia A., Della Ventura G. & Sodo A.: Applications of Raman spectroscopy to the study of natural manganese oxides	323
Biagioni C., Bindi L. & Moëlo Y.: Structural complexity in sulfosalts – “Cu-sterryite” and meerschautite: Two new expanded derivative of owyheeite from Italy	324
Biagioni C., Moëlo Y. & Guillot-Deudon C.: Structural complexity in sulfosalts – Chovanite: Two new occurrences from the Apuan Alps and its 8 Å crystal structure	325
Biagioni C., Mauro D. & Pasero M.: Crystal structure refinement of römerite and melanterite, two hydrated iron sulfates with complex hydrogen bond systems	326
Bonazzi P., Lepore G.O. & Bindi L.: Expanding the number of arsenic sulphides having a layered structure: Duranusite, a new structural type related to arsenolamprite	327
Boni P., Balassone G., Mondillo N. & Boni M.: An unusual occurrence of gahnite in lower Cambrian dolostones of southwest Sardinia (Italy): Chemical characterization and genetic hypotheses	328
Cesare B., Viti C., Mugnaioli E., Schmidt M.W. & Remusat L.: Progressive thermal deprotonation of staurolite during crustal anatexis: NanoSIMS, TEM and experimental constraints	329
D’Alessio D., Tribaudino M., Gaboardi M., Magnani G., Pontiroli D. & Riccò M.: New data on melanophlogite (type I clathrate) from Fortullino (Livorno, Italy)	330
D’Ippolito V., Andreozzi G.B., Bersani D. & Lottici P.P.: Raman study of $MgAl_2O_4$ - $CoAl_2O_4$ and $MgAl_2O_4$ - $MgCr_2O_4$ solid solutions	331
De Grisogono F., Giuli G. & Paris E.: Si-P substitution mechanisms in olivines: Rietveld characterization of the $LiMgPO_4$ - Mg_2SiO_4 solid solution	332
Della Ventura G., Susta U., Bellatreccia F., Cavallo A. & Oberti R.: Synthetic potassic-ferro-richterite: HT behavior and deprotonation process by single-crystal FTIR spectroscopy and structure refinement	333
Garavelli A., Balić-Žunić T., Pinto D., Mitolo D., Jakobsson S.P. & Leonardsen E.: $Na_2Ca_3Al_2F_{14}$ - A new fluoride phase from fumaroles on Eldfell, Hekla and Vesuvius	334
Giaccherini A., Di Benedetto F., Cinotti S., Montegrossi G., Guerri A., Carlà F., Felici R. & Innocenti M.: Structural characterization of $Cu_{2-x}S$ ultra thin films obtained by electrodeposition	335
Giordani M. & Mattioli M.: Morphology and chemistry of erionite and offretite: Increasing data of carcinogenic fibrous zeolites	336
Guastoni A., Pozzi G., Secco L., Fioretti A.M. & Pennacchioni G.: Xenotime-(Y) from LCT and NYF Tertiary pegmatites of the Central Alps	337
Iannicelli-Zubiani E.M., Cristiani C., Dotelli G., Gallo Stampino P., Pelosato R., Lacalamita M., Mesto E. & Schingaro E.: Characterization of natural clays for rare earth ions recovery from WEEE	338
Lenaz D. & Schmitz B.: Crystal-structure determination of chromites from NWA6077 and NWA725 achondrites	339
Lepore G.O., Bindi L., Bonazzi P., Ciriotti M.E., Di Benedetto F., Mugnaioli E., Viti C. & Zanetti A.: A multimethodic approach to the characterization of a Mn-rich celadonite from Cerchiara mine, Eastern Liguria, Italy	340
Lepore G.O., Bindi L., Bonazzi P., Pedrazzi G. & Conticelli S.: Structural and chemical variations in phlogopites from lamproitic rocks of the Western Mediterranean Region	341
Lotti P., Gatta G.D., Arletti R., Merlini M., Pastero L. & Liermann H.P.: Large-channels zeolites at high pressure: the case of Na-mordenite and $AlPO_4-5$	342
Mesto E., Kaneva E., Lacalamita M., Schingaro E., Scordari F. & Vladykin N.: Structural disorders in narsarsukite structure	343
Mugnaioli E., Capitani G.C. & Viti C.: Electron diffraction tomography for the characterization of sub-micrometric minerals: Application to metamict phases	344

Nazzareni S., Comodi P. & Hanfland M.: High-pressure single-crystal X-ray synchrotron diffraction of pentahydrate	345
Oberti R., Boiocchi M. & Hawthorne F.C.: Impossible or unusual solid-solutions in oxo-amphiboles: Mangano-manganiungarettiite vs. “oxo-mangani-leakeite” and potassic-fluoro-richterite vs. “oxo-potassic-richterite”	346
Radica F., Della Ventura G., Bellatreccia F., Cinque G., Marcelli A. & Cestelli Guidi M.: HT-FTIR micro-spectroscopy of CO ₂ in cordierite: Temperature dependence of the absorption and diffusion kinetics	347
Radica F., Della Ventura G., Bellatreccia F., Freda C., Marcelli A. & Cestelli Guidi M.: The diffusion of CO ₂ in cordierite and beryl: An FTIR-FPA spectroscopy study	348
Rinaldi R. & Llovet X.: The first 50 years of Electron Probe Micro-Analysis applications to the Geosciences: Developments and perspectives	349
Scandolo L., Alvaro M., McCammon C., Milani S., Di Prima M., Domeneghetti M.C. & Nestola F.: The role of oxidation on the high-temperature behavior of almandine	350
Schingaro E., Lacalamita M., Mesto E., Ventruti G., Pedrazzi G., Ottolini L. & Scordari F.: Ti-rich garnets: An EPMA, SIMS, Mössbauer, XRPD and SCXRD investigation	351
Stelluti I., Ioli P., Mura F. & Gianfagna A.: Analysis of the mineralogical content of incoherent lava portions containing fibrous minerals from volcanic products found in localities around S. Maria di Licodia town (CT), Italy	352
Susta U., Della Ventura G., Bellatreccia F., Hawthorne F.C., Boiocchi M. & Oberti R.: Crystal chemistry and HT behavior of riebeckite from Malawi: A combined XRD and FTIR study	353
Zaccarini F., Bindi L., Garuti G. & Bakker R.J.: The importance of a multimethodic approach for the characterization of platinum group minerals (PGM) and associated phases: Some cases of study	354
<i>S12 - Mantle mineralogy</i>	355
Belmonte D., Ottonello G., De La Pierre M. & Vetuschi Zuccolini M.: Majorite stability and melting relations in the mantle transition zone: New constraints from first-principles thermodynamics	356
Boffa Ballaran T., Kurnosov A., Frost D.J. & Marquardt H.: The influence of cation substitution on the elastic behaviour of MgSiO ₃ bridgmanite in the lower mantle	357
Del Vecchio A., Poe B.T., Misiti V. & Cestelli Guidi M.: Hydrogen diffusion in nominally anhydrous minerals: Implications for mass and charge transport	358
Gemmi M., Merlini M., Palatinus L., Fumagalli P., Fischer J. & Poli S.: Two new high pressure hydrated phases in the MASH system discovered with fast electron diffraction tomography: Bringing water beyond the chlorite breakdown	359
Gentili S., Bonadiman C., Biagioni C., Comodi P., Coltorti M., Zucchini A. & Ottolini L.: Oxo-amphiboles in mantle xenoliths: A key to understand the hydrous rich metasomatic melts circulating beneath Harrow Peaks, Victoria Land, Antarctica	360
Guidoni F., Comodi P., BalicZunic T., Nazzareni S., Bini R., Fanetti S. & Brizi E.: Structural and photoelectric properties of chalcostibite at high pressure	361
Lenaz D., De Min A., Hålenius U., Kristiansson P., Musco M.E., Nilsson C., Perugini D., Petrelli M., Princivalle F., Ros L., Skogby H., Caldeira R., Grillo B., Marzoli A., Mata J., Boumehdi M.A., Idris Ali A.B. & Youbi N.: Mantle xenoliths of Cameroon, Morocco and Libya: A structural and chemical (major oxides, trace elements, REE, OH and B) study of their mineral assemblage	362
Milani S., Scandolo L., Zaffiro G., Di Prima M., Mazzucchelli M.L., Alvaro M., Domeneghetti M.C. & Nestola F.: On the determination of the entrapment pressure for garnet inclusions in diamonds	363
Zibera L. & Klemme S.: The effect of spinel-to-garnet peridotite transition on density variations in the upper mantle	364
<i>S13 - Characterization and use of geomaterials for sustainable industry and the environment</i>	365

Ardit M., Cruciani G. & Dondi M.: V-doped zircon: new diffraction and optical spectroscopy data on industrial pigments	366
Barone G., Mazzoleni P., Di Benedetto F., Giuffrida A., Capilleri P., Massimino M.R., Motta E., Genovese C. & Raccuia S.A.: Geotechnical and environmental aspects of the use of Mt. Etna volcanic tephra in embankment structures	367
Belviso C., Cavalcante F. & Lettino A.: Comparison between ultrasonic treatment and hydrothermal method for waste material transformation into useful secondary products	368
Clausi M., Tarantino S.C., Tedeschi C., Riccardi M.P., Zema M.: Microstructural features of geopolymer-based mortars: insights from high resolution SEM	369
Coletti C., Maritan L., Mazzoli C. & Cultrone G.: Assessment for the use of waste of trachyte in the brick production	370
Diella V., Marinoni N., Pavese A. & Francescon F.: The influence of quartz and waste glass particle size distribution on the evolution of sanitary-ware vitreous body	371
Gatta G.D., Brundu A., Cappelletti P., Cerri G., de Gennaro B., Farina M., Fumagalli P., Guaschino L. & Mercurio M.: The Cs-cycle in nuclear processes: From Cs-nanosponges to ceramic Cs-bearing materials	372
Ghizzardi V., Mantovani L., Romeo E., Tribaudino M. & Montepara A.: Fly-ash as a filler in environmentally-friendly hot mix asphalt	373
Gori C., Tribaudino M., Mantovani L., Skogby H., Hålenius U., Delmonte D., Mezzadri F., Gilioli E. & Calestani G.: Synthesis and color performance of $\text{CaCo}_x\text{Mg}_{1-x}\text{Si}_2\text{O}_6$ pyroxenes as ceramic pigments	374
Graziano S.F., D'Amore M., Correggia C., Dondi M., Zanelli C., Cappelletti P., Langella A. & de Gennaro R.: Manufacturing of high efficiency concretes: potential production of lightweight aggregates (LWA) from glass recycling	375
Graziano S.F., D'Amore M., Dondi M., Zanelli C., Cappelletti P., Langella A., Mercurio M. & de Gennaro R.: Secondary raw materials for the production of lightweight aggregates: Some case studies	376
Lotti P., Gatta G.D., Arletti R., Quartieri S., Vezzalini G. & Merlini M.: The use of pressure to tailor the "sponge-like" behavior of zeolites: The case of SiO_2 -ferrierite	377
Martucci A., Blasioli S., Marchese L., Buscaroli E., Mzini L.L. & Braschi I.: High silica zeolites used to clean-up water polluted with sulfonamide antibiotics: From multidisciplinary model studies to real applications and regeneration techniques	378
Novembre D., Pace C., Gimeno D., d'Alessandro N. & Tonucci L.: Hydrothermal synthesis and characterization of kalsilite by using a kaolinitic rock (Sardinia, Italy) and its application in the production of biodiesel	379
Randazzo L. & Montana G.: Effects of compositional and textural characteristics of clay based plasters on the control of indoor relative humidity	380
Salviulo G., Strumendo M., Zorzi F. & Biasin A.: Thermal decomposition of calcite: CaO properties and growth model	381
Scrivano S., Gaggero L., Cnudde V., De Kock T., Derluyn H. & Gisbert Aguilar J.: Multiscale approach to rock porosity and its distribution	382
Tarantino S.C., Occhipinti R., Gasparini E., Riccardi M.P. & Zema M.: Sulfate-bearing kaolins: An unexploited resource. Implications for their use as alkali activated materials precursors	383
Zucchini A., Comodi P., Di Michele A., Blasi P., Gentili S., Santinelli F. & Neri A.: Nanomaterials addition to raw mixtures for portland clinker production. A way to decrease clinkerization temperature	384
<i>S14 - Environmental Geochemistry and Mineralogy: Natural Environments versus Human Activities</i>	385

Agrosi G., Tempesta G., Lisco S., Moretti M., Scardino G., Cotecchia F., Sollecito F., Vitone C., Lacalamita M., Mesto E., Schingaro E. & Mastronuzzi G.: Heavy metal analyses on core of polluted submarine sediments from Taranto: Preliminary results	386
Atzori R., Ardaù C., Podda F., Agrosi G. & Frau F.: Removal of divalent metals by inducing precipitation of Layered Double Hydroxides from mine-waste drainages (Iglesias, Italy)	387
Bardi U.: The end of the Anthropocene and beyond	388
Barone G., Mazzoleni P., Acquafredda P., Costagliola P., Barchitta M., Quattrocchi A., Maugeri A. & Agodi A.: Particulate matter exposure influencing the global DNA methylation in women: A cross-sectional study in Catania, Italy	389
Bernardini S., Armiento G., Bellatreccia F., Cavallo A., Della Ventura G., Proposito M. & Sodo A.: Enrichment of toxic elements in a Mn deposits associated with the Santa Severa (Latium, Italy) travertine quarry	390
Biddau R., Cidu R., Lorrain M. & Mulas G.: Lead and arsenic concentrations in groundwater from Sardinia (Italy). Natural background and influence of mining activities	391
Capecchiacci F., Zoppi M., Cabassi J., Marchionni S., Tassi F., Vaselli O., Pratesi G., Giannini L., Venturi S., Ulivi M., Forni F., Scodellini R. & Tommasini S.: Geochemical and mineralogical tracers of geothermal power plants input into the atmosphere: The case study of the Mt. Amiata geothermal field	392
Capella S., Fioretti E. & Belluso E.: Airborne inorganic fibers in Turin: Identification and quantification by SEM-EDS	393
Capella S., Bellis D. & Belluso E.: Forensic mineralogy and pathology: A case-control study	394
Carbone C., Consani S., Dinelli E., Cutroneo L., Capello M., Salviulo G., Zorzi F. & Lucchetti G.: PTE (Potential ecotoxic Element) mobility in stream and marine sediments: The case of Gromolo Torrent (eastern Liguria, Italy)	395
Cibella F., Falcone E.E., Latteo V., Saiano F., Marcenò C. & Censi P.: Effect of the atmospheric fallout on the Rare Earths distribution in leaves	396
Colica A., Chiarantini L., Rimondi V., Benvenuti M., Costagliola P., Lattanzi P., Paolieri M. & Rinaldi M.: Toxic metal dispersion in mining areas: From point source to diffusion pollution. The case of Mt. Amiata Hg mining district (southern Tuscany - Italy): First results	397
Consani S., Carbone C., Salviulo G., Zorzi F., Dinelli E. & Lucchetti G.: Temperature-induced phase transition and remobilization of potential ecotoxic elements (PTE) in AMD colloidal precipitates	398
D'Orazio M., Biagioni C., Vezzoni S. & Dini A.: Inside the mine: Interactions between hydrosphere, atmosphere, biosphere and the thallium-rich pyrite ores from southern Apuan Alps	399
Da Pelo S., Mulas G., Ghiglieri G., Ardaù C., Cidu R., Frau F. & Porcheddu A.: Origin of manganese, sulphates and trichloromethane in groundwater at Portoscuso (Sardinia-Italy)	400
Di Benedetto F., Gazzano E., Tomatis M., Turci F., Pardi L.A., Bronco S., Fornaciai G., Innocenti M., Montegrossi G., Muniz Miranda M., Zoleo A., Capacci F., Fubini B., Ghigo D. & Romanelli M.: Physico-chemical properties of quartz from industrial manufacturing and its cytotoxic effects on alveolar macrophages: The case of green sand mould casting for iron production	401
Dore E., Cidu R. & Frau F.: Antimony removal from polluted mining water using Layered Double Hydroxides	402
Franceschini F., D'Orazio M., Biagioni C., Vezzoni S., Petrini R. & Giannecchini R.: Severe contamination of waters and stream sediments in an abandoned mine land from Alta Versilia (Southern Apuan Alps, Italy)	403
Frau F., Da Pelo S., Atzori R. & Cidu R.: Environmental impact of a near-neutral mine drainage on surface waters and dissolved metal load to the Mediterranean Sea	404

Marescotti P., Crispini L., Fornasaro S., Beccaris G., Scotti E., Poggi E. & Lucchetti G.: Chromium and nickel distribution in ultrabasic soils of the Voltri Massif (Ligurian Alps)	405
Marescotti P., Solimano M., Marin V., Salmona P., Vassallo P., Brancucci M. & Lucchetti G.: Mineralogical and geochemical spatial analyses of waste-rock dumps: A case study from the abandoned Rio Bansigo sulphide mine (eastern Liguria, Italy)	406
Medas D., Cidu R., De Giudici G. & Podda F.: Rare Earth Elements fractionation processes during mine waste weathering and secondary phases precipitation under near-neutral conditions	407
Medas D., De Giudici G., Podda F., Meneghini C. & Lattanzi P.: Apparent solubility constant of hydrozincite: Effect of crystal size and surface energy	408
Montealeali M.R., Angelone M., Manojlovic M., Armiento G., Čabilovski R., Crovato C., De Cassan M., Massanisso P. & Vidojević D.: Mobility of potentially toxic elements in urban soils: A comparison between Rome and Novi Sad	409
Nannoni F., Protano G. & Rossi S.: Heavy element contamination in soil and accumulation in earthworms in the urban area of Siena (Italy)	410
Nigro A., Barbieri M. & Sappa G.: Rare Earth Elements and heavy metals in soils of an open landfill	411
Nigro A., Barbieri M. & Sappa G.: Rare Earths Elements and $^{87}\text{Sr}/^{86}\text{Sr}$ in groundwater landfill	412
Petrini R., D'Orazio M., Giannecchini R. & Bramanti E.: Thallium ecosystem diseases in dismissed mine sites as a threat for public health: the Valdicastello-Pietrasanta (Italy) case history	413
Pugnaloni A., Tiano L., Capella S., Vigliaturo R. & Belluso E.: Chrysotile, crocidolite, asbestiform erionite: Mineralogical characterization and citotoxic effects	414
Pusceddu C., Medas D., Podda F., Cidu R., Lattanzi P., Wanty R., Kimball B. & De Giudici G.: Hydrological and Biogeochemical processes in the critical hyporheic zone along a mine-polluted-river (Rio San Giorgio - SW Sardinia-Italy)	415
Rossi M., Nestola F., Ghiara M.R. & Capitelli F.: Fibrous minerals from Somma-Vesuvio volcanic complex	416
Salviulo G., Magro M., Baratella D., Bonaiuto E., Carbone C., Dinelli E. & Vianello F.: Removal of Cr(VI) in contaminated water of Stoppani S.p.a. site (Liguria, Italy) by surface active maghemite nanoparticles	417
Tamburo E., Varrica D. & Dongarrà G.: Coverage intervals for trace elements in human scalp hair are site and also genderspecific	418
Tiepolo M., Langone A., Sacchi E., Nola P., Ficocelli S. & Giua R.: Historical reconstruction of heavy metal pollution in the Taranto area with dendrochemistry	419
Varrica D., Tamburo E. & Dongarrà G.: Influence of industrial activity on metal and metalloid contents in scalp hair of adolescents	420
Venturi S., Cabassi J., Tassi F., Capecchiacci F., Vaselli O., Bellomo S. & Calabrese S.: Active real-time analyzers vs. passive/diffusive samplers for hydrogen sulfide (H_2S) in air: A critical comparison	421
Vigliaturo R., Giorcelli M., Tagliaferro A. & Belluso E.: Tremolite asbestos: Characterization by analytical electron microscopy, Raman spectroscopy and PCA data elaboration	422
Zoppi M., Pratesi G., Capecchiacci F., Cabassi J., Marchionni S., Tassi F., Vaselli O., Giannini L., Venturi S., Ulivi M., Forni F., Scodellini R. & Tommasini S.: PM_{10} emission near the Mt. Amiata geothermal field	423
<i>S15 - The geosciences for Cultural Heritage and Archaeometry: Consolidated and innovative approaches</i>	424
Artioli G.: Geosciences and the Cultural Heritage: The time line of human activities	425
Balassone G., Cicala L., D'Orazio L., De Bonis A., De Rosa F., Guarino V., Morra V. & Tardugno M.L.: Preliminary archaeometric investigations on ancient mortars from archaeological site of Velia (Salerno, Southern Italy)	426

- Barca D., Perez-Monserrat E.M., Török A., Aly N., Gomez-Heras M., Fort R., Varas-Muriel M.J., Alvarez de Buergo M., Valeria C. & Ruffolo S.: Heavy metals in black crusts on limestones as markers of environmental conditions influencing human health 427
- Belfiore C.M., Fichera G.V., Ortolano G., Pezzino A. & Visalli R.: Element distribution within the cementitious matrix of pozzolanitic roman mortars: a new approach using image processing via X-ray map analyser 428
- Belfiore C.M., Fichera G.V., Pezzino A., Ruffolo S., Calabrò C., Maniscalco R. & Malagodi M.: The carbonate building stone of the Ortygia Island (Syracuse, Italy): Characterization and decay processes 429
- Bianchi G., Mitchell J., Agresti J., Osticioli I., Siano S., Memmi Turbanti I. & Pacini A.: Preliminary chemical and mineralogical characterization by non-invasive analytical techniques of the *fibula di Montieri* from the archaeological site of the Canonica di S. Niccolò (Montieri, GR) 430
- Comite V., La Russa M.F., Ricca M., Rovella N., Ruffolo S.A., Urzì C., Arcudi A. & Silvestri C.: Innovative conservative strategies applied in Herculaneum archaeological site (Naples, Italy): The case of *Villa dei Papiri* 431
- Comite V., Ricca M., Rovella N., Ruffolo S.A., Bonazza A., Sardella A., Urzì C., Arcudi A. & Silvestri C.: Multidisciplinary approach to characterize degradation products and archaeological materials from Roman *Thermae* of Reggio Calabria (Calabria, South Italy) 432
- Crupi V., Majolino D., Pezzino A., Ruffolo S. & Venuti V.: Multi-technique spectroscopic investigation in Cultural Heritage 433
- Dal Sasso G., Maritan L., Angelini I., Usai D., Salvatori S., Zerboni A. & Artioli G.: Radiocarbon dating of heavily altered bone apatite from the Al Khiday archaeological site (Central Sudan): Is pristine apatite carbonate preserved? 434
- De Bonis A., D'Angelo M., Guarino V., Massa S., Saiedi Anaraki F., Genito B. & Morra V.: Technology and provenance of the unglazed pottery from the Masjed-i Jom'e of Isfahan (Iran) 435
- De Francesco A.M., Scarpelli R., Mastandrea A., Guido A. & Marino D.A.M.: UV fluorescence as tool to evaluate the biotic encrustation pervasiveness on underwater medieval *amphorae* near Crotona (Calabria - Italy) 436
- De Luca R., Gigliotti V., Panarello M., Bloise A., Crisci G.M. & Miriello D.: Characterization and provenance of plasters from residential buildings of 18th century in Lamezia Terme (Calabria, Southern Italy) 437
- Eramo G. & Giuliani R.: Building stratification in tower area of Montecorvino (Foggia, 11th -15th century): Evidences of Norman masonry techniques 438
- Eramo G., Muntoni I.M., Gallo S. & De Siena A.: Early Greek Colonization in Southern Italy: Archaeometric analyses of ceramic local production and Greek imports in the Siris area (Basilicata) 439
- Fornacelli C., Mugnaioli E., Colomban P. & Memmi I.: Spectroscopy and electron microscopy for the characterization of CdS_xSe_{1-x} quantum dots in a glass matrix 440
- Freire-Lista D.M. & Fort R.: Decay in heritage granite ashlar. Its dependence with exfoliation microcracks 441
- Garavelli A., Marsico A., Pinto D., Monno A., Andriani G., Germinario G., Laganara C., Albrizio P., Piepoli L., Depalo M.R., Longobardi F. & Simonetti A.: The sanctuary of Sant'Angelo in Cripta at Santeramo in Colle, Apulian region, Italy: A multi-disciplinary approach for the conservation 442
- Germinario L., Cossio R., Mazzoli C., Maritan L. & Borghi A.: Combining μ -XRF and SEM-EDS mapping in low and high resolution for determining the provenance quarry of volcanic porphyritic stones 443

Giustetto R., Perrone U. & Compagnoni R.: Neolithic polished greenstone implements from Castello di Annone (Italy): Minero-petrographic and archaeometric aspects	444
Grifa C., Germinario C., Mercurio M., Langella A., Cucciniello C., Cappelletti P., Zollo D., Izzo F., De Bonis A., Monetti V. & Morra V.: Traditional ceramic production in central and southern Madagascar: First insights from mineralogy and petrology of bricks	445
Guarino V., De Bonis A., Grifa C., Langella A., Munzi P. & Morra V.: The Archaic cooking ware and <i>instrumenta</i> in Cuma: Italic and Greek traditions	446
Manca R.P., Pagliantini L., Pecchioni E., Benvenuti M., Chiarantini L., Cambi F., Corretti A., Costagliola P., Orlando A. & Santo A.P.: Archaeometric study of ceramic materials from archaeological excavations at the Roman iron-working site of San Giovanni (Portoferraio, Elba island)	447
Mantovani L., Tribaudino M. & Facchinetti M.: A mineralogical approach to the authentication of an archaeological artifact: Real ancient bronze from Roman Age or fake?	448
Marengo A., Borghi A. & Costa E.: Multi-disciplinary approach to the characterization of an ornamental stone: The case study of “Busca Onyx”	449
Marinangeli L., Agostini S., Antonelli S., Baliva A., Cardinale M., Colantuono L., La Salvia V., Menozzi O., Moderato M., Pompilio L., Santoro S. & Somma M.C.: A multidisciplinary geo-archaeological approach to reconstruct the evolution of the Corfinio site (AQ)	450
Montana G., Randazzo L. & Cerniglia M.R.: Mineralogical and petrographic analysis of early-Hellenistic mortars from a Punic-Roman residential area discovered at Palermo (Sicily)	451
Pecchioni E., Fratini F., Cantisani E., Vettori S. & Ricci M.: Chromatism and the chromatic alteration of the florentine sandstone Pietra Serena	452
Pinto D., Garavelli A., Muntoni I.M., Bellizzi F. & Lamacchia A.: Archaeometrical investigations of painted wall plasters from an Hellenistic <i>domus</i> at Arpi (Foggia, III sec. a.C.)	453
Poretto G., De Vito C., Conte A.M., Borghi A., Brillì M., Gunter D. & Zanetti A.: <i>In-situ</i> LA-ICP-MS analysis of white marble for provenance purpose: Application on Carrara quarry district and Musei Capitolini artifacts	454
Ricca M., La Russa M.F., Belfiore C.M., Ruffolo S.A., Barca D. & Crisci G.M.: Provenance study of marbles used as covering slabs in the archaeological submerged site of Baia (Naples, Italy): The case of the “Villa con ingresso a protiro”	455
Rispoli C., Esposito R., Cappelletti P., Morra V. & Talamo P.: <i>Piscina Mirabilis</i> : preliminary characterization of geomaterials	456
Ruffolo S.A. & Crisci G.M.: The use of nano particles in Cultural Heritage: Examples of application on stone materials	457
Santello L., Maritan L., Mazzoli C., Germinario L., Nestola F., Hanchar J.M. & Usai D.: Multi-analytical characterisation of Egyptian Flint as a means for understanding seasonality in the Nile valley and Western Desert (Egypt)	458
Santo A.P., Pecchioni E.P., Piccini L., Di Fazio L., Garzonio C.A. & Fratini F.: The “Vie Cave” archaeological and geological site in Southern Tuscany (Italy). Proposal for conservation.	459
Silvestri A., Fioretti A.M. & Zanetti A.: Trace element analysis of archaeological glasses: Comparison between LA-ICPMS and Electron Microprobe analysis	460
<i>S17 - From Rocks to Stars (The Nuclear History of the Galaxy as Written in Solar System Solids)</i>	461
Agrosi G., Manzari P., Melone N. & Tempesta G.: Nano-mineralogical study of mesostases in enstatite chondrite	462
Aliatis I., Tribaudino M., Lambruschi E., Mantovani L., Bersani D., Lottici P.P. & Gatta G.D.: Plagioclase composition by Raman spectroscopy: A new tool in the analysis of extraterrestrial samples	463

Capaccioni F. & the VIRTIS Team: The comet 67P/Churyumov-Gerasimenko, a primitive Kuiper Belt body: Results from the Rosetta mission	464
Caporali S., Grazzi F., Scherillo A. & Pratesi G.: New data about the early stages of asteroidal accretion by neutron diffraction studies of iron meteorites	465
Caporali S., Loglio F., Pratesi G. & Folco L.: Effects of shock loading on ordinary chondrites: An X-ray microtomography study	466
Carli C., Pratesi G., Capaccioni F., Santoro S. & Moggi Cecchi V.: Reflectance spectra of hed, analogues of 4Vesta	467
Collareta A., D'Orazio M., Gemelli M., Pack A. & Folco L.: The diversity of the lunar crust as told by the new polymict regolith breccia Mount DeWitt 12007 (Antarctica)	468
Ferrari S., Alvaro M., Nestola F., Maturilli A., Helbert J., Domeneghetti M.C., Massironi M. & Zorzi F.: Thermal expansion of C2/c pyroxenes: Implications for the Thermal Infrared spectroscopy of Solar System bodies	469
Fioretti A.M., Mattiuz A. & Goodrich C.A.: A new Enstatite Chondrite found in Italy	470
Folco L. & Cordier C.: Oxygen isotopes in cosmic spherules and the composition of the near Earth interplanetary dust complex	471
Gemelli M., Mugnaioli E., Di Rocco T. & Boschi C.: High precision d ¹⁷ O isotope analyses for micro-volumes: Development of a new strategic resource for the Italian Planetary Sciences community	472
Marinangeli L., Pompilio L., Tangari A.C., Cardinale M., Piluso E. & Baliva A.: Mapping the sedimentary rocks on Mars and implications for planet evolution	473
Massironi M., Simioni E., Marzari F., Cremonese G., Giacomini L., Pajola M., Jorda L., Naletto G., Lowry S., Ramy ElMaarry M., Preusker F., Scholten F. & the OSIRIS team: Strata and the inner structure of 67P Churyumov-Gerasimenko comet	474
Meyzen C.M., Massironi M. & Pozzobon R.: Are magmatic processes at volcanoes from motionless plates analogues to those of the giant shield volcanoes on Mars?	475
Moggi Cecchi V., Caporali S. & Pratesi G.: Acapulcoites, winonaites and lodranites: New evidences on petrologic and minerochemical trends from X-ray maps and EMP analyses	476
Murri M., Scandolo L., Alvaro M., Domeneghetti M.C. & Fioretti A.M.: Clinopyroxene Fe-Mg exchange reaction applied to Martian nakhlites	477
Palmerini S.: Meteorite grains of Red Giant origins: When rocks help in modelling stars	478
Pozzobon R., De Toffoli B., Cremonese G. & Massironi M.: Cracks associated to mud-volcanic fields on Mars: Clues for recent methane degassing?	479
Stangarone C., Tribaudino M., Prencipe M. & Helbert J.: How to study Mercury's surface in remote sensing: Experimentally acquired and <i>ab initio</i> calculated HT-IR vibrational frequencies	480
Trippella O., Palmerini S., Busso M.M. & Wasserburg G.J.: Slow neutron captures contribution for isotope anomalies in the Fe-group elements of meteorites	481
<i>S18 - Geological, geophysical and geochemical prospection for economic geology and geothermal resources</i>	482
Arfè G., Boni M., Mondillo N., Aiello R. & Arseneau V.: Secondary enrichment of the Capricornio (Chile) epithermal Au-Ag-Cu mineralization and implications for the exploration	483
Bernardinetti S., Colonna T., Pieruccioni D., Abbigliati M., Trotta M., Algeri G., Tufarolo E., Minucci S., Mugnaioli E., Talarico F.M., Viti C., Harroud A., Guernouche M. & Cinà A.: A pilot study to test the reliability of the ERT method in the identification of mixed sulphides bearing dykes: The example of Skoura mine (Morocco)	484
Boni M.: Supergene nonsulfide zinc ores: from exploration to processing	485
Botteghi S., Montanari D., Del Ventisette C. & Moretti S.: Persistent Scatterer Interferometry (PSI) to detect surface deformation in the Larderello-Travale geothermal area (Tuscany, Italy)	486

Capecchiacci F., Eyjólfssdóttir E.I., Tassi F., Vaselli O. & Ruggieri G.: Geochemistry of Volatile Organic Compounds (VOCs) in fluids from the Krafla and Reykjanes geothermal systems, Iceland	487
Colucci F., Moia F., Guandalini R. & Agate G.: Geological and numerical modeling to support electric production in geothermal fields: A case test in Central Italy	488
Della Vedova B. & Cimolino A.: Geothermal heating and cooling in the FVG Region: The realization of the Grado District Heating Pilot Plant and the Pontebba ice rink	489
Fadda S., Fiori M., Matzuzzi C., Naitza S. & Secchi F.: Redox state of magmas and granite-related Mo mineralization: Evidences from Late Variscan F-bearing granites from Southern Sardinia (Italy)	490
Fedi M. & La Manna M.: The complex task of inverting gravity data for the estimation of the depth to the carbonate basement	491
Fusari A., Invernizzi C. & Carroll M.: Seismic, structural and geochemical prospections for characterization of a medium-enthalpy geothermal system within the Laga Basin (Central Italy): The Acquasanta Terme case study	492
Granitzio F., Naitza S., Oggiano G. & Secchi F.: The Jibal Qutman deposit: First notes on a new gold discovery in the Arabian Shield (Kingdom of Saudi Arabia)	493
Lattanzi P., Ruggieri G., Benvenuti M., Costagliola P., Chiarantini L. & Rimondi L.: The mercury deposits of the Monte Amiata district: A review of existing data	494
Magi F., Pandeli E. & Vaselli O.: Geological, hydrogeochemical and isotopic features of the thermal system between Montalcino and Monte Amiata-Scalo (South-eastern Tuscany)	495
Maimaiti M. & Carroll M.R.: Geochemical behavior of Rare Earth Elements in magmas	496
Mondillo N., Mathur R. & Boni M.: Significant Zn isotope fractionation in the supergene environment from Yanque, Peru: Implications for exploration	497
Montanari D., Minissale A., Doveri M., Trumpy E., Gola G. & Manzella A.: A multidisciplinary approach to unravel the geothermal fluid circulation within a regional scale carbonate reservoir	498
Nimis P. & Omenetto P.: Does subduction polarity control metallogeny?	499
Pastore Z., Mondillo N., Boni M. & Fedi M.: The magnetic method applied to the exploration of porphyry-Cu deposits: The case of the Dolores Prospect (Peru)	500
Rimondi V., Fregola R.A., Ruggieri G., Zucchi M., Chiarantini L., Orlando A., Brogi A. & Liotta D.: Investigating fossil geothermal systems: The case of Elba Island (Tuscany, Italy)	501
Santilano A., Gola G., Castaldo R., De Novellis V., Pepe S., Tizzani P., Donato A., Trumpy E., Botteghi S. & Manzella A.: 3D geological, thermo-physical and rheological modelling for geothermal exploration: The case study of Ischia Island, Southern Italy	502
Santoro L. & Boni M.: The use of QEMSCAN [®] automated mineralogy in exploration for supergene Zn(Pb) nonsulfides characterization: A few examples	503
Tempesti L., Tassi F., Caselli A., Liccioli C., Vaselli O., Chiodini G., Augusto M. & Caliro S.: A geochemical conceptual model for the hydrothermal system of the Domuyo volcanic complex (Argentina)	504
Trumpy E., Botteghi S., Caiozzi F., Donato A., Gianelli G., Gola G., Minissale A., Montanari D., Santilano A. & Manzella A.: Geothermal data integration and favourability maps: A tool for discovering geothermal systems in Sicily, southern Italy	505
Vezzoni S., Dini A. & Rocchi S.: Campiglia Marittima skarn deposit: Shifting paradigm from exoskarn to reverse telescoping	506
<i>S21 - Open Poster Session</i>	507
Barfucci G., Ripepe M., Delle Donne D. & Lacanna G.: Geophysical signature of the 11 February 2010 dome collapse at Soufrière Hills Volcano, Montserrat, West Indies	508
Bello M., Carroll M.R. & Scipioni M.: Volatile metals and municipal waste incineration: A comparison with volcanic melting	509

Bonaccorsi E., Biagioni C. & D’Orazio M.: Minerals, rocks and meteorites on display: The new exhibition at the Pisa University’s Natural History Museum	510
Boniello A. & Paris E.: Geoscience education: teaching and learning Earth Sciences using the virtual worlds (Muves)	511
Fiannacca P., Militello G.M., Lombardo R. & Cirrincione R.: I- and S-type granites in the late Variscan Serre Batholith (Central Calabria, Italy) and applicability of the Restite and Peritectic Assemblage Entrainment models	512
Granieri D., Salerno G., Liuzzo M., La Spina A., Giuffrida G., Caltabiano T., Giudice G., Gutierrez G., Montalvo F. & Papale P.: Emission of gas and atmospheric dispersion of SO ₂ during the December 2013 eruption at San Miguel volcano (El Salvador)	513
Maraio S., Pazzaglia F.J., Bruno P.P.G., Picotti V. & Brardinoni F.: Comparison between catchment geomorphology and alluvial fan seismic stratigraphy in defining the geomorphic process domains in the Val Venosta (Eastern Alps, Italy)	514
Marengo A. & Vigliaturo R.: Principal component analysis as a tool in the study of a mineral population. Muscovite case study	515
Pieraccioni F.: The research of active and inquiry based learning in Earth Sciences in the school	516
Rashed H., Rovere M., Pecchioni E., Gamberi F. & Vaselli O.: Geochemical and mineraloical characterization of marine sediments in the mud diapir province of the Paola basin (Southern Tyrrhenian Sea)	517
Scalera G.: Variable radius cartography - Birth and perspectives of a new experimental discipline	518
Somma R., Maniscalco R., Sabatino G. & Schiavone S.: Volcanic sands and benthic Foraminifers in a forensic soil related to a murder case: Can these particles support intelligence for establishing soil provenance?	519
Vigliaturo R., Langenhorst F., Pollok K., Harries D., Capella S., Pugnali A. & Belluso E.: <i>In vitro</i> transformations of mineral fibers: A transmission electron microscopy investigation	520
Caparelli S., Scicchitano M.R. & Piluso E.: The exhumation history of upper mantle rocks from the Sila unit, northern Calabria	521